

Feeding belts

Animal feeding should take place in a comfortable environment and the amount of feed should be distributed equally and uniformly. MP Feeding Belt is the ideal solution for sheep & goat herds feeding due to its ergonomic and functional design.


It has reduced installation space needs and it allows speed adjustments according to the farmer's preferences. The farmer do not have to dispense feed along the barn and it provides secure locking per site.



Specs

TECHNICAL SPECIFICATIONS

- 1. Hot galvanized or stainless steel construction
- 2. Guilotine type without headlocks feeding belt
- 3. Inverter with digital display
- 4. Sizes from 10m to 100m
- 5. Motor 2.2 4 kW 380V 50/60Hz
- 6. 5 or 6 animals per meter
- 7. Protective covers of stainless steel or galvanized
- 8. 15cm neck opening for male and large sized animals



Automatic Lamb Feeders

An automatic feeder responds to the need of the young animals' early removal from their mothers without affecting their diet or extending the mothers' anestrus period. The automatic feeder you will find in our product range, facilitates significantly the farmer's daily work and ensures the young animals' healthy growth.

It offers fast feed preparation and heating, stirring and dosage configuration. It is easy to wash and simple to operate.



Specs

TECHNICAL SPECIFICATIONS

- 1. Digital Thermometer
- 2. Screen display and keyboard for easy settings adjustment
- 3. 8 feeding outlets
- 4. 35 kg powder container
- 5. Power supply: 2.8 kW (240V)/ 3.2 kW (230V)/ 5.0 kW (400V)



Grass & Grain Troughs

Grass troughs, thanks to their ergonomic design, provide convenient and easy access to 6-8 animals simultaneously and are high endurable to stresses or strains.

Length: 2000m or 2500mm, Width: 600mm, Height: 500mm or 1000mm

Flexible to place on wall or post.



Water Troughs

Milkplan's drinking troughs incorporate high pressure floater for quick refilling, special protective cover to keep the water clean, drainage valve, overflow tube and optional heater. Additionally individual pvc water troughs are offered as an option.

length: 1000mm, 1500mm, 2000mm, 2500mm or 3000mm Width: 500mm, Height: 220mm

*For different sizes contact our sales department at: sales@Milkplan.com





Milkplan at a glance



2 factories in Greece

30.000 sq.m. of privately owned facilities



Research and Development

Continuing investments in resources, new products and technologies



More than 140 employees

average age of 37 years



No 1 in Greece

More than 1000 milking systems. 35.000 milk cooling tanks in farms and cheese-making units



Exports in more than 95 countries

18 new added during the last 3 years



80% international sales

Continuing sales increase

while every effort has been made to ensure the accuracy of the information in this brochure, Milkplan assumes no responsibility for omissions or typographical errors. The material included in this brochure are subject to change without prior notice. Milkplan reserves all rights with respect to its trademarks. Any unauthorized use of any Milkplan-owned trademark or any use of a trademark that is confusingly similar to, or likely to cause confusion with a Milkplan-owned trademark, would constitute infringement of Milkplan's exclusive rights. All rights reserved.

